

**HAPPY FLOORS**

## **PAVER CATALOG**

Design Happy ▪ Build Happy ▪ Be Happy

# Table of Contents

---

Agathos	8	Kursaal Extreme	18
Azuma	10	Loop	20
Basaltina	12	Nextone	22
Calacatta	14	Parker	24
Ceppo Di Grè	16	X-Rock	26

# Format Index Table

---

Page	Collection Name	16 x 48	24 x 24	24 x 48	36 x 36	36 x 72	48 x 48
6	Agathos		✓	✓			
8	Azuma		✓		✓		
10	Basaltina	✓	✓	✓			✓
12	Calacatta		✓	✓			
14	Ceppo Di Grè		✓	✓			
16	Kursaal Extreme		✓				
18	Loop		✓	✓			
20	Nextone		✓	✓			
22	Parker		✓	✓			
24	X-Rock		✓	✓			

# Icon Index



Happy Floors is committed to providing products that are both sustainable and beautiful. We are a proud member of the U.S. Green Building Council, the leading program for green buildings and communities worldwide.

V4

Random variation or V4 is the final measure on the shade variation scale and notes that color differences from tile to tile are unpredictable. That means one tile may have totally different colors from the other, resulting in an eclectic final installation.



We provide our customers as many products as possible that are sympathetic to the planet. Our Eco-Friendly products are produced with an average recycled content of 30%.




Water resistant mosaics are suitable for the damp environments. That makes these mosaics with this marker ideal for such rooms as bathrooms, kitchens, and pool houses.



We are dedicated to using recycled content in as many of our products as we can, without sacrificing beauty or innovation. This symbol lets our customers know just how much of a collection contains recycled material.



Fire-retardant mosaics are hardwearing making them suitable for active environments that require hardwearing materials. Mosaics with this indicator can stand up to the heat of flames with limited damage.



Italian design is known worldwide to be of high quality and to be visually appealing. That's why it's the cornerstone of the Happy Floors catalog of products. Majority of the collections we offer are made and designed in Italy. We're proud to bring Italian design to our customers.



Mosaics noted with this icon are appropriate for pool installation, making them ideal for adding statement borders and features to them.



Happy Floors collections designed and manufactured in Spain are filled with the country's romance and charm. That's why we're proud to offer Spanish tiles to our customers.



Happy Floors mosaics noted with this icon are not appropriate for use in pool installations.



Portugal is notable for being both one of the oldest European countries as well as one of its fastest innovators. This combination leads to collections that are both storied and inventive, the ideal package for Happy Floors products.



Mosaics noted with this icon are appropriate and ideal for floor installations.

V1

Shade variation notes the differences in how light or dark a product will be within the same production run.

Uniform appearance or V1 means the differences in shade from the same production run are minimal.



Mosaics noted with this icon are appropriate for outdoor installations.

V2

Slight variation or V2 means there is a distinguishable difference in pattern and/or texture, but with similar colors.



Mosaics noted with this icon are appropriate for shower installations.

V3

Moderate variation or V3 means that while the colors on a single piece of tile will indicate what can be expected on other tiles, the amount of color on each piece may vary significantly. For example, "a little sliver of white" on one piece of tile may take center stage on the next piece.

# Porcelain Pavers

Elevate the look and feel of your outdoor spaces with 2CM pavers. These beautiful tiles add stability, structure, and formality to our most natural domains. Whether your outdoor oasis is poolside at a summer home or right in your outdoor kitchen, Happy Floors has the right tile for your project.







Above: 24" x 48" Grey Natural



Above: 24" x 24" White Natural

## Agathos


The Agathos collection of 2CM pavers brings the beauty of an ancient marble outdoors. All its organic movement adds a distinct character of history to the tile.

COLORS




SIZES

Available in all colors  
All tile sizes are **Rectified Edge**



TECHNICAL SPECS

Sizes	Finishes	Thickness	Number of Screens	Test Method						
				Water Absorption	Breaking Strength	Frost Resistance	Chemical Resistance	Stain Resistance	PEI Rating (Scratch Resistance)	Glazed Type
				Results						
24" x 48"	Natural	20 mm (2CM)	12	≤ 0.5%	≥ 1300 N	Resistant	Class B	3	PEI IV	Unglazed
24" x 24"	Natural	20 mm (2CM)	24							



Above: 36" x 36" **DG** Natural



Above: 24" x 24" **CG** Natural

## Azuma

Taking its name from the highly touted Japanese architect Takamitsu Azuma, the Azuma collection of 2CM pavers is subtle in its approach. A soft take on a concrete look porcelain tile, this line has quiet shifts in its tone that can be seen throughout each piece of tile. This discretely impressive collection is a nod to the simplicity of Japanese aesthetics.

## COLORS

# AZUMA

RECTIFIED PORCELAIN PAVERS

Also available in porcelain tile,

CG



G



DG




## SIZES

Available in all colors

All tile sizes are **Rectified Edge**


Tile Sizes - Available in CG & DG



**48" x 48"**  
(Natural)



**24" x 48"**  
(Natural)



**36" x 36"**  
(Natural)



**18" x 36"**  
(Natural)



**24" x 24"**  
(Natural)



**12" x 24"**  
(Natural)




**3" x 24" Bullnose**  
(Natural)

Paver sizes (2CM)



**36" x 36"**  
(Natural)




**24" x 24"**  
(Natural)

## TECHNICAL SPECS

Sizes	Finishes	Thickness	Number of Screens	Test Method						
				Water Absorption	Breaking Strength	Frost Resistance	Chemical Resistance	Stain Resistance	PEI Rating (Scratch Resistance)	Glazed Type
<b>36" x 36"</b>	Natural	20 mm (2CM)	24							
Results										
<b>24" x 24"</b>	Natural	20 mm (2CM)	56	≤ 0.1%	≥ 1300 N	Resistant	Class A	3	CG/ G: IV DG: III	Unglazed

MADE IN ITALY





Above: 24" x 48" Piombo Natural



Above: 36" x 36" Grey Natural  
24" x 48" Grey Natural (Edge)

## Basaltina

Basaltina brings urban balance to outdoor spaces. Its variety of gray tones and linear movement offer clean respite in a frantic world. Create an outdoor human and pet-friendly space in the center of city parks, backyards or even rooftop bars.

## COLORS


# BASALTINA

UNGLAZED RECTIFIED PORCELAIN PAVERS

GREY




PIOMBO



## SIZES

Available in all colors  
All tile sizes are **Rectified Edge**



**48" x 48"**  
(Natural)



**24" x 48"**  
(Natural)



**16" x 48"**  
(Natural)



**24" x 24"**  
(Natural)

## TECHNICAL SPECS

Sizes	Finishes	Thickness	Number of Screens	Test Method					
<b>48" x 48"</b>	Natural	20 mm (2CM)	5	Water Absorption	Breaking Strength	Frost Resistance	Chemical Resistance	Stain Resistance	PEI Rating (Scratch Resistance)
<b>36" x 36"</b>	Natural	20 mm (2CM)	7						Glazed Type
<b>24" x 48"</b>	Natural	20 mm (2CM)	7						Dynamic Coefficient of Friction (DCOF)
<b>24" x 24"</b>	Natural	20 mm (2CM)	14						Shade Variation
<b>18" x 36"</b>	Natural	20 mm (2CM)	14	Results					
<b>16" x 48"</b>	Natural	20 mm (2CM)	15	≤ 0.5%	≥ 1300 N	Resistant	Class B	3	PEI IV
								Unglazed	≥ 0.60
									V2



Above: 24" x 24" Calacatta Natural



Above: 24" x 48" Calacatta Natural

## Calacatta

Luxury marble-look tile has been made fit for the great outdoors with Happy Floors' 2CM Calacatta collection. With the tried-and-true characteristic gray veining, this collection introduces opulence to nature.

COLORS

NATURAL




SIZES

Available in all colors  
All tile sizes are **Rectified Edge**



24" x 48"  
(Natural)




24" x 24"  
(Natural)

TECHNICAL SPECS

Sizes	Finishes	Thickness	Number of Screens	Test Method								
				Water Absorption	Breaking Strength	Frost Resistance	Chemical Resistance	Stain Resistance	PEI Rating (Scratch Resistance)	Glazed Type	Dynamic Coefficient of Friction (DCOF)	Shade Variation
				Results								
24" x 48"	Natural	20 mm (2CM)	14	≤ 0.5%	≥ 1300 N	Resistant	Class B	3	PEI IV	Unglazed	≥ 0.60	V2
24" x 24"	Natural	20 mm (2CM)	28									



Above: 24" x 24" White Natural




Above: 24" x 24" Anthracite Natural

## Ceppo Di Grè


Ceppo Di Gre brings the beauty of composite flooring to the outdoors. This terrazzo look collection of 2CM pavers comes in white, grey, and dark grey, making the different stones throughout truly pop. Ceppo Di Gre makes a distinct impact, upgrading outdoor spaces.

COLORS



SIZES

Available in all colors  
All tile sizes are **Rectified Edge**



TECHNICAL SPECS

Sizes	Finishes	Thickness	Number of Screens	Test Method								
48" x 48"	Natural	20 mm (2CM)	6	Water Absorption	Breaking Strength	Frost Resistance	Chemical Resistance	Stain Resistance	PEI Rating (Scratch Resistance)	Glazed Type	Dynamic Coefficient of Friction (DCOF)	Shade Variation
36" x 36"	Natural	20 mm (2CM)	8	Results								
24" x 48"	Natural	20 mm (2CM)	9	≤ 0.5%	≥ 1300 N	Resistant	Class B	3	PEI IV	Unglazed	≥ 0.60	V3
24" x 24"	Natural	20 mm (2CM)	18									



Above: 24" x 24" Slate Natural



Above: 24" x 24" Pure Natural

## Kursaal Extreme

Kursaal Extreme is a line of concrete look 2CM pavers with organic flair. Its subtle linear shifts in tone and shades and the mineral deposits sprinkled throughout give the collection an earthier feel than most concrete looks. Kursaal Extreme is the perfect collection for an outdoor space

# KURSAAL EXTREME

UNGLAZED RECTIFIED PORCELAIN PAVERS

## COLORS

Also available in porcelain tile,

PURE



NEUTRAL



SLATE



RAVEN



## SIZES

Available in all colors

All tile sizes are **Rectified Edge**

Paver sizes (2CM)


Tile Sizes



24" x 48"  
(Natural)



15" x 30"  
(Natural)




24" x 24"  
(Natural)



12" x 24"  
(Natural)



3" x 24" Bullnose  
(Natural)



24" x 24"  
(Natural)

## TECHNICAL SPECS


Sizes	Finishes	Thickness	Number of Screens	Test Method								
				Water Absorption	Breaking Strength	Frost Resistance	Chemical Resistance	Stain Resistance	PEI Rating (Scratch Resistance)	Glazed Type	Dynamic Coefficient of Friction (DCOF)	Shade Variation
24" x 24"	Natural	20 mm (2CM)	16	Results								
				≤0.5%	10000 N	Resistant	GA GLA - GHA	3	PEI IV	Unglazed	≥ 0.60	V2

MADE IN SPAIN



ECO FRIENDLY





Above: 24" x 24" Grey Natural




Above: 24" x 48" Anthracite Natural

## Loop


Loop is a dreamlike marble look 2CM porcelain tile paver. Available in two shades of gray, one neutral and the other dark, this collection's patterning is smooth and ethereal in its approach.

## COLORS

ANTHRACITE




GREY




## SIZES

Available in all colors  
All tile sizes are **Rectified Edge**



**24" x 48"**  
(Natural)



**24" x 24"**  
(Natural)

## TECHNICAL SPECS

Sizes	Finishes	Thickness	Number of Screens	Test Method								
48" x 48"	Natural	20 mm (2CM)	5	Water Absorption	Breaking Strength	Frost Resistance	Chemical Resistance	Stain Resistance	PEI Rating (Scratch Resistance)	Glazed Type	Dynamic Coefficient of Friction (DCOF)	Shade Variation
24" x 48"	Natural	20 mm (2CM)	10	Results								
24" x 24"	Natural	20 mm (2CM)	20	≤ 0.5%	≥ 1300 N	Resistant	Class B	3	PEI IV	Unglazed	≥ 0.60	V3
16" x 48"	Natural	20 mm (2CM)	15									



Above: 24" x 48" Taupe Natural  
24" x 24" Dark Natural



Above: 24" x 48" Grey Natural

## Nextone

Nextone is a uniquely engineered concrete look collection with an inventive look and feel, making it the perfect patterning for a 2CM paver. A wide variety of stones sourced from four different quarries were combined to create a design that boasts a natural and balanced aesthetic.

## COLORS

# NEXTONE

UNGLAZED RECTIFIED PORCELAIN PAVERS

Also available in porcelain tile

WHITE



GREY



TAUPE



DARK



## SIZES

Available in all colors

All tile sizes are **Rectified Edge**

### Tile Sizes



**24" x 48"** (Natural)




**24" x 24"**  
(Natural)



**12" x 24"**  
(Natural)



**3" x 24" Bullnose**  
(Natural)




**12" x 24"**  
**Dot**  
(Natural)



**12" x 24"**  
**Line**  
(Natural)



**12" x 24"**  
**Mark**  
(Natural)




**19.5" x 5.5"**  
**Gamma**  
(Natural)

### Paver sizes (2CM)



**24" x 48"**  
(Natural)



**24" x 24"**  
(Natural)

## TECHNICAL SPECS

Sizes	Finishes	Thickness	Number of Screens	Test Method						
				Water Absorption	Breaking Strength	Frost Resistance	Chemical Resistance	Stain Resistance	PEI Rating (Scratch Resistance)	Glazed Type
<b>24" x 48"</b>	Natural	20 mm (2CM)	18	Results						
<b>24" x 24"</b>	Natural	20 mm (2CM)	36	≤0.5%	13600 N	Resistant	LA HA	5	PEI IV	Unglazed
									Dynamic Coefficient of Friction (DCOF)	Shade Variation
									≥0.60	V3



Above: 24" x 24" White Natural




Above: 36" x 36" Anthracite Natural

## Parker


Parker is a 2CM collection of porcelain pavers that is perfectly suited for industrial spaces. With the look of freshly poured concrete, the shifts in tone throughout bring a cool, rough edge to the environments it is installed in.

COLORS



SIZES

Available in all colors  
All tile sizes are **Rectified Edge**



TECHNICAL SPECS

Sizes	Finishes	Thickness	Number of Screens	Test Method								
				Water Absorption	Breaking Strength	Frost Resistance	Chemical Resistance	Stain Resistance	PEI Rating (Scratch Resistance)	Glazed Type	Dynamic Coefficient of Friction (DCOF)	Shade Variation
48" x 48"	Natural	20 mm (2CM)	8	Results								
36" x 36"	Natural	20 mm (2CM)	16									
24" x 48"	Natural	20 mm (2CM)	15									
24" x 24"	Natural	20 mm (2CM)	30	≤0.5%	≥ 1300 N	Resistant	Class B	3	PEI IV	Unglazed	≥ 0.60	V3



Above: 24" x 24" **B** Natural



Above: 24" x 48" **G** Natural

## X-Rock


X-Rock is a 2CM collection that is made of perfectly blended elements of natural stone and concrete. The result is a uniquely contemporary texture. This natural fusion combines organic touches with modern sophistication.

## COLORS

# X-ROCK

RECTIFIED PORCELAIN PAVERS

Also available in porcelain tile,



## SIZES


Available in all colors

All tile sizes are **Rectified Edge**

### Tile Sizes



**24" x 48"**  
(Natural)



**24" x 24"**  
(Natural)



**12" x 24"**  
(Natural)




**3" x 24" Bullnose**  
(Natural)

### Paver sizes (2CM)



**24" x 48"**  
(Natural)



**24" x 24"**  
(Natural)

## TECHNICAL SPECS

Sizes	Finishes	Thickness	Number of Screens	Test Method						
				Water Absorption	Breaking Strength	Frost Resistance	Chemical Resistance	Stain Resistance	PEI Rating (Scratch Resistance)	Glazed Type
<b>24" x 48"</b>	Natural	20 mm (2CM)	18	Results						
<b>24" x 24"</b>	Natural	20 mm (2CM)	36	≤ 0.1%	≥ 1300 N	Resistant	Class A	3	N: III B, G: IV W: V	Unglazed
									≥ 0.60	V2



Above: 24" x 48" X-Rock N